

Greenline 48 Coupe

Discover what being independent truly means








Open galley



In yachting this means not being dependent on marinas, water supplies and mostly electricity. The ability to stay at anchor as long as you like.

The 48 Coupe is equipped with staggering 2,64 kW solar panels on the roof as standard, which is equal to a small generator output. Having continuous power onboard to run all the appliances in silence, without using any fossil fuels, not only is much friendlier to the environment, but also significantly increases the quality of living onboard.

Solar panels as standard







360° panoramic view in the salon







Lower deck offers a 3 ensuite cabin layout with the master cabin in the bow and two cabins with twin berths aft. Not including the captain's quarters, accessible from the cockpit, of course.





Greenline 48 Coupe








MAIN DECK



LOWER DECK A



LOWER DECK B



*Optional skipper cabin for both version of lower deck (A and B)

Features

Solar panels as standard	Volvo Penta or Yanmar Engine	Silent eco-navig
	g	

 Lifting bathing platform

City water connection

 230/120V AC power at all times

 Adaptive owner's cabin

 Twin-access, high-volume bathroom

 Sheltered cockpit and sidedecks

 Natural light and 360° panoramic view

Cockpit side exit

Cockpit storage

Single level living space

specifications

Standard dimensions

Length overall	15.97 m	52'5"
Beam overall	4.80 m	15'9''
Bridge clearance (minimum)	3.50 m	11'6"
Draft empty	0.98 m	3'3"
Displacement empty	13,300 kg appr.	29,321 lbs
Cabins	3 (opt. 4 skip)	
Max. berths	6 + 2 salon +1	
Toilets/washrooms	3 (opt. 4 skip)	
Diesel tank	1,500	396.2 gal
Water tank	6001	158.5 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	2.2 kW	
Standard LiFePO4 batteries	6.15 kW/h	10.25 kW/h
Standard inverter	5 kW	



See how it works on greenlinehybrid.com

Electric Drive



Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	20/40 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive



Electric motor	2 x 27 kW	2 x 27 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	7.5 kts	7.5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	24 kts
Generator in diesel mode	2 x 15 kW	2 x 15 kW

Diesel Drive



2 x 250 hp Shaft drive	18 kts
2 x 320 hp Shaft drive	20 kts
2 x 370 hp Shaft drive	24 kts
2 x 440 hp Shaft drive	29 kts
Max range at 7 kts	>1000 Nm

^{*} Displacements are calculated with 50% fuel and water plus liferaft but with no optional

^{**} Depending on selected equipment and propulsion.

^{***} Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Greenline 48 Fly

Discover a new level of comfort





~

Traditional side anchor or optional bow anchor

The flagship of the Greenline family, the Greenline 48 offers a host of innovative features to set her apart from the competition.

Designed for long-range cruising, with a new interior design, 3rd Generation Hybrid system, luxurious flybridge, hydraulic platform, utility compartment and much more, the Greenline 48 is designed to go the distance.





Hydraulic bathing platform



Comfortable sunbathing area













360° panoramic view in the salon







Flybridge with U-shaped settee and sun lounge





Wetbar with barbecue, icemaker and fridge













Two luxurious en-suite guest cabins




Separate owner's toilet and shower











Greenline 48 Fly








Technical specifications


FLYBRIDGE



MAIN DECK



LOWER DECK A*



LOWER DECK B*



*Optional skipper cabin for both version of lower deck (A and B)

Features

Solar panels as standard	 Volvo Penta or Yanmar Engine 	Silent eco-navigation	Opening bathing platform

City water connection

 230/120V AC power at all times

 Adaptive owner's cabin

 Twin-access, high-volume bathroom Open galley

and sidedecks

 Natural light and 360° panoramic view in the salon

Cockpit side exit

Cockpit storage

Single level living space

Standard dimensions

Length overall	15.97 m	52'5"
Beam overall	4.80 m	15'9"
Bridge clearance (minimum)	4.10 m	13'5"
Draft empty	0.98 m	3'2"
Displacement empty	13,500 kg appr.	29,762 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1,500	396.2 gal
Water tank	600 I	158.5 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	500 W	1.1 kW
Standard LiFePO4 batteries	6.15 kW/h	10.25 kW/h
Standard inverter	5 kW	



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional

Electric Drive



Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	20/40 kW/h	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive



lectric motor	2 x 27 kW	2 x 27 kW
attery capacity	up to 80 kW/h	up to 80 kW/h
lax speed electric mode	7.5 kts	7.5 kts
ange in electric mode (5kts)	up to 25 Nm	up to 25 Nm
iesel engine	2 x 220 hp	2 x 370 hp
lax speed diesel mode	18 kts	24 kts
enerator in diesel mode	2 x 15 kW	2 x 15 kW

Diesel Drive



2 x 250 hp Shaft drive	18 kts	
2 x 320 hp Shaft drive	20 kts	
2 x 370 hp Shaft drive	24 kts	
2 x 440 hp Shaft drive	29 kts	
Nay range at 7 kts	> 1 000 Nm	

^{**} Depending on selected equipment and propulsion.

^{***} Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.



Greenline 39



Greenline 40



Greenline 45 Coupe



Greenline 45 Fly



Greenline 48 Coupe



Greenline 48 Fly



Greenline 58 Coupe



Greenline 58 Fly