


Greenline 45 Coupe

The solar power plant







Extra large instrument pod on lower helms

Greenline 45 Coupe offers a fresh perspective to yachting with a perfectly balanced interior layout featuring a full-beam midship owner cabin with the VIP guest cabin in the bow, both equally comfortable offering private bathrooms with separate showers.

With up to almost 3 kW of solar panels the 45 Coupe offers the maximum comfort and independance.









Lifting bathing platform The 45 Coupe is a new addition to the Greenline Fleet. This boat takes the sustainability of the 45 Fly to the next level all while borrowing the comfort and luxury from its sister yacht.

It can hold up to 9 solar panels on its roof wich brings more independance at sea- perfect for those who never want to leave their happy place.













Full beam master cabin mid ship





Comfortable sunbathing area





Superb guest cabin

Greenline 45 Coupe



Standard dimensions

Length overall	15.57 m	51'1"
Beam overall	4.57 m	14'11"
Bridge clearance (minimum)	3.73 m	12'3"
Draft empty	1.10 m	3'7"
Displacement empty	13,000 kg appr.	28,660 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1,450 l	382.3 gal
Water tank	600 I	158.5 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

Solar / Power management

Chan dan da sa barran da	STANDARD PACKAGE 2.2 kW	OPTION
Standard solar panels	2.2 KVV	
Standard LiFePO4 batteries	6.15 kW/h	10.25 kW/h

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.



MAIN DECK

SOLAR ROOF



LOWER DECK A



LOWER DECK B



LOWER DECK C



Silent eco-navigation

and sidedecks

Features

 Solar panels as standard

high-volume bathroom

• Twin-access,

 Open galley Sheltered cockpit

Volvo Penta or

Yanmar Engines

 Natural light and 360° panoramic view in the salon

Lifting bathing

platform

Cockpit side exit

City water connection

Cockpit storage

• 230/120V AC

power at all times

• Full Beam

Master cabin

Technical specifications

Electric Drive

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	20/40 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 27 kW	2 x 27 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	7.5 kts	7.5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 250 hp	2 x 370 hp
Max speed diesel mode	18 kts	24 kts
Generator in diesel mode	2 x 15 kW	2 x 15 kW


Diesel Drive

2 x 250 hp Shaft drive	18 kts	
2 x 320 hp Shaft drive	20 kts	
2 x 370 hp Shaft drive	24 kts	
2 x 440 hp Shaft drive	28 kts	
2 x 370 hp IPS 500	30 kts	
2 x 435 hp IPS 600	34 kts	
Max range at 7 kts	> 1.000 Nm	

Greenline 45 Fly

The perfect balance





walk-in wardrobes, the 45 Fly is really the most comfortable yacht in her class.





Comfortable sunbathing area











Superb guest cabin







360° panoramic view in the salon





Greenline 45 Fly is unique in its sector, both in terms of its impressive variety of propulsion options and the choice between two extremely luxurious ensuite cabins with walk-in wardrobes or a three-cabin layout with two spacious bathrooms.

Greenline 45 Fly



FLYBRIDGE



MAIN DECK



LOWER DECK A



LOWER DECK B



LOWER DECK C



Features

 Solar panels Volvo Penta or as standard Yanmar Engine • Twin-access, Open galley high-volume bathroom

 Sheltered cockpit and sidedecks

Silent eco-navigation

 Natural light and 360° Cockpit side exit panoramic view in the salon

Lifting bathing

platform

power at all times

City water connection

• 230/120V AC

Cockpit storage

• Full Beam Master

cabin

Standard dimensions

Length overall	15.57 m	51'1"
Beam overall	4.57 m	14'11"
Bridge clearance (minimum)	4.16 m	13'8"
Draft empty	1.10 m	3'7"
Displacement empty	13,500 kg appr.	29,762 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1,500	396.2 gal
Water tank	600 I	158.5 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	500 W	1.1 kW
Standard LiFePO4 batteries	6.15 kW/h	10.25 kW/h

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted. ** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Technical specifications

Electric Drive

Design

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	20/45 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 27 kW	2 x 27 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	7.5 kts	7.5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 250 hp	2 x 370 hp
Max speed diesel mode	18 kts	24 kts
Generator in diesel mode	2 x 15 kW	2 x 15 kW

Diesel Drive

2 x 250 hp Shaft drive 18 kts 20 kts 2 x 320 hp Shaft drive 2 x 370 hp Shaft drive 24 kts 28 kts 2 x 440 hp Shaft drive 2 x 370 hp IPS 500 30 kts 34 kts 2 x 435 hp IPS 600 Max range at 7 kts > 1.000 Nm



Greenline 39



Greenline 40



Greenline 45 Coupe



Greenline 45 Fly



Greenline 48 Coupe



Greenline 48 Fly



Greenline 58 Coupe



Greenline 58 Fly